

### SPHEREX SCIENCE TEAM

CENTER FOR ASTROPHYSICS (I) A ME ASTROPHYSICS (I) A ME A ME CIPAC

Jamie Bock (PI)

**Matt Ashby** 

**Peter Capak** 

**Asantha Cooray** 

**Brendan Crill** 

Olivier Doré (PS)

**Chris Hirata** 

**Woong-Seob Jeong** 

Minjim Kim

Phil Korngut (IS)

**Elisabeth Krause** 

Dae-Hee Lee

**Gary Melnick** 


**Roger Smith** 

**Yong-Seon Song** 

**Stephen Unwin** 

**Michael Werner** 

**Michael Zemcov** 



### SPHEREX SCIENCE TEAM

LIPL (2) ZE R.I.T W

Jamie Bock (PI)

**Matt Ashby** 

**Peter Capak** 

**Asantha Cooray** 

**Brendan Crill** 

Olivier Doré (PS)

**Chris Hirata** 

**Woong-Seob Jeong** 

**Minjim Kim** 

**Phil Korngut** 

**Elisabeth Krause** 

Dae-Hee Lee

**Gary Melnick** 


**Roger Smith** 

**Yong-Seon Song** 

**Stephen Unwin** 

**Michael Werner** 

**Michael Zemcov** 



JPL/Caltech **Shoubaneh Hemmati** Tim Eifler **U.** Arizona Rachel Akeson Caltech/IPAC Yan Gong **UC Irvine Lindsey Bleem** Argonne **Daniel Masters** JPL/Caltech **ASU Phil Mauskopf Tzu-Ching Chang** JPL/Caltech **JPL Hien Nguyen** Karin Öberg **CfA Davy Kirkpatrick** Caltech/IPAC **Harry Teplitz** Caltech/IPAC **Volker Tolls CfA** Salman Habib **Argonne** 

**Katrin Heitmann** 

**Karin Sandstrom** 

**Rogier Windhorst** 

**Carey Lisse** 

**Argonne** 

**UCSD** 

JHU

**ASU** 


### SPHEREX: AN ALL-SKY SPECTRAL SURVEY

Spectro-Photometer for the History of the Universe, Epoch of Reionization, and Ices Explorer

#### **SPHEREx Dataset:**

- For <u>every</u> 6.2" pixel over the entire sky:
  - $\rightarrow$  R=35-41 spectra spanning 0.75 µm <  $\lambda$  < 3.82 µm
  - → R=110-130 spectra spanning 3.82 μm < λ < 5.0 μm
- all-sky survey with 96 fine photometric bands

# SPHEREX SURVEY DEPTH




Deep survey

All-sky survey

## AN AGGRESSIVE DATA RELEASE PLAN

- L : Launch in September 2023
- L+1 : End of commissioning
- L+n: Every month after for 24 months:
  - → Release spectral images data (L2 product)
- L+6n: Every 6 month, we complete a full sky survey.
  - → Release local wavelength maps
- L+12n: Every 12 month, complete two full sky surveys
  - → Release source catalogs
- L+24: End of nominal mission.
  - → Release L4 catalogs (galaxy, ices, maps, legacy catalogs)
- Archive hosted by IRSA at IPAC/Caltech (irsa.ipac.caltech.edu)
- Will also host tools to do on the fly mosaic, forced photometry on a catalog, time variable sources photometry, etc.

# SPHEREX PROVIDES A RICH ALL-SKY SPECTRAL ARCHIVE



All-Sky surveys demonstrated high scientific returns with a lasting data legacy used across astronomy


COBE IRAS GALEX WMAP Planck WISE

OD++16,18

# SPHEREX THREE LEGACY CATALOGS


- Spectral catalog of comets and asteroids (lead C. Lisse)
- Star catalog (lead R. Akeson)
  - → Precise spectra of stars of target planet-bearing stars from the Kepler, K2, TESS, Gaia, and other transit and radial velocity surveys
  - Atlas of spectra of late M dwarfs and all accessible brown dwarfs, down to the coolest Y dwarfs, to facilitate the study of our lowest mass stellar neighbors
- Spectral catalog of clusters of galaxies (lead L. Bleem)
- Support immediate community utilization of SPHEREx data

### An Innovative Architecture Based on Mature Technologies






Parameter	Value
Telescope eff. diameter	20 cm
Field of view	3.5 x 11 deg. <sup>2</sup>
Pixel size	6.2 arcsec
Wavelength range	0.75 – 5 μm
Resolving power $\lambda/\Delta\lambda$	35-130




Pre-Decisional Information For Planning and Discussion Purposes Only

# High-Throughput LVF Spectrometer



Spectra obtained by stepping source over the FOV in multiple images: no moving parts


# Mapping the Sky with LVFs



A complete spectrum is made from a series of images


SPHEREx uses a single observing mode, with no moving parts from a low earth orbit.





#### SPHEREx images the sky through LVF filters


- In one exposure, each object is measured at a different wavelength
- . On a given object, each new exposure adds a new wavelength




2 orbits

#### SPHEREx produces spectra from multiple pointed exposures

- . SPHEREx takes exposures separated by small and large slews
- Successive exposures approximately follow a great circle 90° from the Sun. The great circle rotates 380° over a year.





#### SPHEREx obtains complete spectra in every survey

- A given region is typically completed in a few days.
- . The entire sky is completely sampled in six months

SPHEREx maps the sky over multiple orbits with large and small slews

# SPHEREX ADDRESSES THREE MAJOR QUESTIONS IN ASTROPHYSICS


- How did the Universe begin?
  - → Probing Inflation with the 3D clustering of galaxies
    - Survey the z<1.5 Universe to fundamental limits to measure signatures of inflation (non-Gaussianity, primordial power spectrum shape) and dark energy
    - Complement Euclid & WFIRST which survey smaller area at z>1
- What are the Conditions for Life Outside the Solar System?
  - → Measure broad <u>ice</u> absorption features in stellar spectra to explain how interstellar ices bring water and organic molecules into proto-planetary systems
- How did Galaxies begin?
  - → Measure the extra-galactic background light (EBL) to probe the epoch of reionization (EOR)

# FLYING THROUGH THE SPHEREX SURVEY



- •Blue particles show large-scale dark matter distribution from a cosmological simulation
- Galaxies follow the underlying dark matter
- •Density of galaxies matches the density of galaxies with SPHEREx redshift measurement, but only 130 sq. deg out of 30,000

# SPHEREX AND INFLATION



- SPHEREx improves non-Gaussianity accuracy by a factor of ~10
  - → Improves  $\Delta f_{NL} \sim 5$  accuracy today to  $\Delta f_{NL} < 0.5$
- Discriminates between models
  - → Single-field inflation f<sub>NL</sub> << 1
  - → Multi-field inflation f<sub>NL</sub> ≥ 1
- SPHEREx improves non-Gaussianity accuracy by >10
  - → SPHEREx produces a unique 3-D galaxy survey
  - Optimized for large scales to study inflation
  - Two independent tests of non-Gaussianity

### What Are the Conditions for Life Outside the Solar System?

Sourced by biogenic molecules: H<sub>2</sub>O, CO, CO<sub>2</sub>, CH<sub>3</sub>OH...

#### Current debate:


Did earth's water come from the Oort cloud, Kuiper belt or closer? Did water arrive from the late bombardment (~500 MY) or before?

More than 99 % interstellar water is locked in ice 'Follow the Water' means 'Follow the Ice'



SPHEREx will measure the  $H_2O$ , CO,  $CO_2$ ,  $CH_3OH$  ice content in clouds and disks, determining how ices are inherited from parent clouds vs. processed in disks

### SPHEREX SURVEYS ICES IN ALL PHASES OF STAR FORMATION




SPHEREx will measure ice abundance towards >> 20,000 sources and determine how water and biogenic ices evolve from molecular clouds to young stars to proto-planetary disks

### PROBING THE EPOCH OF REIONIZATION

- SPHEREx orbits enable deep/frequent observations of about 200 sq. deg near the ecliptic poles (great for systematics!)
- SPHEREx wavelength coverage and resolution will enable large-scale measurement of spatial fluctuations in the Extragalactic Background Light (EBL)
- In particular, SPHEREx will monitor/explain the Intra-Halo Light and its evolution (CIBER, Zemcov++14)
- SPHEREx has the raw sensitivity to probe the expected EOR signal (but separation with low z signal will be challenging)
- The sensitivity in this region will enable deep intensity mapping regimes using multiple lines at all redshift, and maybe Lya at high redshift (see Croft++15, 18)

#### Fluctuations in Continuum Bands



### SUMMARY

- SPHEREx selected as the next MIDEX. Launch planned in Sept 2023.
- SPHEREx will create the first all sky near-infrared spectroscopic survey:
  - A dataset of lasting legacy.
- SPHEREx offers a simple and very robust design and modus operandi:
  - → Naturally enables a high control of systematics thanks to multiple built-in redundancy.
- SPHEREx will enable multiple and powerful studies:
  - Primordial non-Gaussianity to learn about Inflation.
  - Extra-galactic background light from z=0 till the reionization era.
  - Origin of water and biogenic ices in young stellar objects and proto-planetary systems.
  - $\rightarrow$
- SPHEREx has strong synergies with current and future observatories
  - →LSST, JWST, WFIRST, TESS, e-ROSITA,...
- Please contact me if you want to investigate this more thoroughly

http://spherex.caltech.edu

